

CLOSE THE SINGLE-SIDED FRAME FORMWORK PROPERLY!




It's the details that make exposed concrete high quality!




CLOSE THE SINGLE-SIDED FRAME FORMWORK PROPERLY!

It's the details that make exposed concrete high quality!






Suitable for Peri Magnetic Cone MX15-55

PERI installation part	Item number	Installation situation	Appearance	View of plug
	24987254			
	24987253			
	24987252			

Suitable for Peri Conus MX DR 22 (63 x 22)

Installation part PERI	MARO®Plug	Installation situation	Appearance	View of plug
	24987277			







Suitable for Doka Framax Xlife plus – exposed concrete cone 87 mm


PERI installation component	Item number	Installation situation	Appearance	View of plug
	24997268			
	24997267			
	24987256			
	24987257			

MARO®Plug FOR EVERY COLOUR AND SURFACE

Take advantage of our wide range of variants!

MARO® adapts the colours and surfaces of the sealing cones so that they do not stand out as foreign bodies in the concrete.



	24987278			
	24987282			
				



CLOSE THE SINGLE-SIDED FRAME FORMWORK APPROPRIATELY!

It's the details that make exposed concrete high quality!

Accessories

Sealing ring	Item number	Description
	71001099	MARO® -Self-adhesive sealing ring Conus PERI MX DR 22 Thickness: 10 mm
	71009999	MARO® -Sealing ring, self-adhesive Conus PERI MX DR 22 Thickness: 3 mm
MARO® strong adhesive		
	99104000	MS polymer adhesive 310 ml grey
	99103300	FW adhesive 310 ml Non-flammable (see ABP) Not waterproof

We also have suitable plugs for systems such as MEVA or Hünnebeck.

Order your samples for your construction site here!



www.mar'o.info

MARO® GmbH
Walzwerkstrasse 30
47877 Willich
+49 2154 9460 10
+49 2154 9460 98
sales@maro.info

